



ADELAIDE HILLS COUNCIL

INSTRUMENT OF DELEGATION

INSTRUMENT OF DELEGATION UNDER THE SOUTH
AUSTRALIA PUBLIC HEALTH (LEGIONELLA)
REGULATIONS 2013

25 JANUARY 2022

Delegation Sources

- South Australia Public Health (Legionella) Regulations 2013

Positions

Abbreviation	Position
Chief Executive Officer (95)	Chief Executive Officer (95)
Director Development and Regulatory Services (70)	Director Development and Regulatory Services (70)
Environmental Health Officer (241)	Environmental Health Officer (241)
Environmental Health Officer (294)	Environmental Health Officer (294)
Environmental Health Officer (91)	Environmental Health Officer (91)
Environmental Health Project Officer (97)	Environmental Health Project Officer (97)
Team Leader Environmental Health (96)	Team Leader Environmental Health (96)

Instrument of Delegation under the South Australia Public Health (Legionella) Regulations 2013

South Australia Public Health (Legionella) Regulations 2013				
Provision	Power and Functions Delegated	Delegate	Conditions and Limitations	Capacity of Council
regulation 5(3)	Approve the manner and form for applying to register a high risk manufactured water system	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 5(3)	Receive fee for registration of a high risk manufactured water system	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	

South Australia Public Health (Legionella) Regulations 2013

Provision	Power and Functions Delegated	Delegate	Conditions and Limitations	Capacity of Council
regulation 5(3)	Register a high risk manufactured water system	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 5(6)	Approve the manner and form for applying to renew the registration of a high risk manufactured water system	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 5(6)	Receive fee for renewal of registration of a high risk manufactured water system	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294),	NIL	

South Australia Public Health (Legionella) Regulations 2013

Provision	Power and Functions Delegated	Delegate	Conditions and Limitations	Capacity of Council
		Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)		
regulation 5(6)	Register a renewal of the registration of a high risk manufactured water system	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 6(1)	Keep a register of high risk manufactured water system	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	

South Australia Public Health (Legionella) Regulations 2013

Provision	Power and Functions Delegated	Delegate	Conditions and Limitations	Capacity of Council
regulation 6(2)	Determine manner and form of keeping a register of high risk manufactured water system	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 6(4)	Receive notice of a change in particulars from the owner of premises on which a high risk manufactured water systems registered with the council	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 6(5)	Receive notice of the permanent decommissioning or removal of a high risk	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294),	NIL	

South Australia Public Health (Legionella) Regulations 2013

Provision	Power and Functions Delegated	Delegate	Conditions and Limitations	Capacity of Council
	manufactured water systems registered with the council	Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)		
regulation 15(1)(a)	Cause an inspection of a high risk manufactured water systems registered with the council	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 15(1)(b)	Arrange for a NATA accredited laboratory to conduct microbiological testing of water taken from each cooling water and each warm water system	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	relevant authority

South Australia Public Health (Legionella) Regulations 2013

Provision	Power and Functions Delegated	Delegate	Conditions and Limitations	Capacity of Council
regulation 15(2)(a)	Notify the owner of premises on which a high risk manufactured water systems registered with the council of inspection and microbiological testing requirements	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 15(2)(b)	Receive reports from the owner of premises on which a high risk manufactured water systems registered with the council in regard to inspection of the system and microbiological testing	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 16(1)	Notify the owner of premises with a high risk manufactured water system of microbiological testing requirements	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294),	NIL	

South Australia Public Health (Legionella) Regulations 2013

Provision	Power and Functions Delegated	Delegate	Conditions and Limitations	Capacity of Council
		Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)		
regulation 16(1)(d)	Receive report from the owner of premises on which a high risk manufactured water system is installed regarding microbiological testing	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 17(1)(b)	Receive report from the owner of premises on which a high risk manufactured water system is installed regarding detection of Legionella	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	

South Australia Public Health (Legionella) Regulations 2013

Provision	Power and Functions Delegated	Delegate	Conditions and Limitations	Capacity of Council
regulation 17(2)(b)	Receive report from the owner of premises on which a high risk manufactured water system is installed regarding detection of Legionella	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 17(3)	Forward a report regarding detection of Legionella under regulation 17 to the Department of Health and Wellbeing	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294), Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)	NIL	
regulation 21(3)	Notify a person liable to pay a fee of a period in which the fee must be paid	Chief Executive Officer (95), Director Development and Regulatory Services (70), Environmental Health Officer (241), Environmental Health Officer (294),	NIL	

South Australia Public Health (Legionella) Regulations 2013

Provision	Power and Functions Delegated	Delegate	Conditions and Limitations	Capacity of Council
		Environmental Health Officer (91), Environmental Health Project Officer (97), Team Leader Environmental Health (96)		